

holsag®

SOLID WOOD SEATING
LULEA



The **Lulea** features a modern style with clean lines and a solid frame design. The European beechwood frame with mortise and tenon joints gives the Lulea a supremely durable construction. The densely padded polyurethane foam seat cushion offers extreme comfort.


PRODUCT FEATURES

- 1 100% solid European Beech hardwood frame
- 2 Plush, polyurethane 2.5-lbs foam-padded seat provides exquisite comfort
- 3 Solid mortise and tenon joints are glued with high solid glue for unmatched durability
- 4 Wide range of standard stain colors are available
- 5 Nine-step finishing process ensures the finish is ready for any commercial environment
- 6 Small metal kick bar along the stool front protects the wood finish from boots and shoes



STANDARD WOOD STAIN OPTIONS

Stain colors match our MityLite® tables, available at mitylite.com. (Custom stain matching is available, but a surcharge may apply.)



*Matches MityLite buffet & dining table tops

FABRIC OPTIONS

Due to the sewing and style of the chair, upholstery options are restricted to solids and non-matched patterns. Striped fabrics and fabrics that need specific alignment are not recommended. See holsag.com/fabrics for selections.





SPECIFICATIONS

	CHAIR	BARSTOOL
OVERALL HEIGHT	32 in (81.3 cm)	41 in (104 cm)
OVERALL DEPTH	20 in (50.8 cm)	20 in (50.8 cm)
OVERALL WIDTH	16.75 in (42.5 cm)	18 in (45.7 cm)
SEAT WIDTH	16.75 in (42.5 cm)	16 in (40.6 cm)
SEAT HEIGHT	18 in (45.7 cm)	30 in (76.2 cm)
SEAT DEPTH	16 in (40.6 cm)	16 in (40.6 cm)
WEIGHT	12 lbs (5.4 kg)	8 lbs (8.2 kg)
C.O.M. YARDAGE*	0.4 yards	0.4 yards
CAPACITY	300 lbs	300 lbs
FABRICS	Grades 1-4 TB133 COM	Grades 1-4 TB133 COM
STANDARD GLIDE	Nylon	Nylon

* ORDERS OF FEWER THAN 10 CHAIRS REQUIRES A CUSTOM QUOTE FOR YARDAGE

WARRANTY

Holsag is part of the MITY Incorporated family of product brands. MITY warrants all Holsag chairs. Read complete details about the warranty at holsag.com/warranty.

STANDARDS

All upholstery and foam meet or exceed California Bulletin 117.

